THIS MEETING IS BEING RECORDED

I hereby declare that notice has been given to the Herald Times, the Atlantic City Press and posted on the bulletin board of the Middle Township Municipal Building, stating the time and place of the following meeting as required in P.L. 1975, Chapter 231 of the State of New Jersey (Sunshine Law).

The Middle Township Board of Health met on the above date at 6:00 PM in the Middle Township Meeting Room. Regular meeting night. Members present were Mayor Lockwood, Committeemember Donohue, Committeemember DeLanzo, Sarah Sharpe and Cape May County Representative Jennifer C. Fairman. *Sean McDevitt was absent.*

1. VIOLATIONS – NONE

- HAZARDOUS SUBSTANCE DISCHARGE NOTIFICATION (The New Jersey Department of Environmental Protection, Site Remediation Program, has received verbal notification of the following incident within the municipality. The following are cases including details of the suspected discharge. Further information concerning this incident may be obtained by contacting: CASE ASSIGNMENT SECTION, Site Remediation (609) 292-2943. Please refer to the "NJDEP Case Number" in all correspondence concerning the incident.) - NONE
- 3. RABIES CONTROL UNLICENSED DOG BITE REPORT
 - a. December 6, 2013, 200 Linden Lane. Copy of report sent to Animal Control and Municipal Clerk. Letter sent to Homeowner.
- 4. CORRESPONDENCE CAPE MAY COUNTY NONE
- CORRESPONDENCE STATE OF NEW JERSEY –

 December 4, 201. NJLINCS Health Alert Network. NJ Rabies Cases by County and Species report for January 1 through September 30, 2013.
- 6. CORRESPONDENCE OTHER NONE
- 7. FOLLOW UP CORRESPONDENCE RECEIVED (COUNTY OF CAPE MAY): NONE
- 8. PUBLIC COMMENT:

Sarah Sharpe – Asked if NJ Rabies Case Report can be categorized by Municipality? *Kimberly Krauss* – Will look into this for next meeting.

Kimberly D. Krauss, Township Clerk

Motion to Adjourn Meeting – 6:05pm 1st: Committeemember DeLanzo 2nd: Committeemember Donohue Roll Call Vote: Committeemember DeLanzo, Committeemember Donohue, Mayor Lockwood